

## Upload Immunization Records

Use this to upload immunization records from your doctor's office. Copied below are the current immunizations that are required for attendance to Massachusetts summer camps. Camp Middlesex does NOT require COVID vaccines.

### Grades Kindergarten – 6

In ungraded classrooms, Kindergarten requirements apply to all students  $\geq 5$  years.

DTaP	<b>5 doses;</b> 4 doses are acceptable if the 4 <sup>th</sup> dose is given on or after the 4 <sup>th</sup> birthday. DT is only acceptable with a letter stating a medical contraindication to DTaP.
Polio	<b>4 doses;</b> 4 <sup>th</sup> dose must be given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose, or a 5 <sup>th</sup> dose is required. 3 doses are acceptable if the 3 <sup>rd</sup> dose is given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose.
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and the 2 <sup>nd</sup> dose must be given $\geq 28$ days after dose 1; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and 2 <sup>nd</sup> dose must be given $\geq 28$ days after dose 1; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

### Grades 7 – 12

In ungraded classrooms, Grade 7 requirements apply to all students  $\geq 12$  years.

Tdap	<b>1 dose;</b> and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at $\geq 7$ years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been $\geq 10$ years since Tdap.
Polio	<b>4 doses;</b> 4 <sup>th</sup> dose must be given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose, or a 5 <sup>th</sup> dose is required. 3 doses are acceptable if the 3 <sup>rd</sup> dose is given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose.
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable. 2 doses of Heplisav-B given on or after 18 years of age are acceptable.
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and the 2 <sup>nd</sup> dose must be given $\geq 28$ days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and 2 <sup>nd</sup> dose must be given $\geq 28$ days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
MenACWY (formerly MCV4)	<b>Grades 7: 1 dose;</b> MenACWY required. <b>Grades 11: 2 doses;</b> 2 <sup>nd</sup> dose MenACWY must be given on or after the 16 <sup>th</sup> birthday and $\geq 8$ weeks after the previous dose. 1 dose is acceptable if it was given on or after the 16 <sup>th</sup> birthday. Meningococcal B vaccine is not required and does not meet this requirement.

## Campers, staff and volunteers 18 years of age and older

MMR	<b>2 doses</b> , anyone born in or after 1957. 1 dose, anyone born before 1957 outside the U.S. Anyone born in the U.S. before 1957 is considered immune. Laboratory evidence of immunity to measles, mumps and rubella is acceptable
Varicella	<b>2 doses</b> , anyone born in or after 1980 in the U.S., and anyone born outside the U.S. Anyone born before 1980 in the U.S. is considered immune. A reliable history of chickenpox or laboratory evidence of immunity is acceptable
Tdap	<b>1 dose</b> ; and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at $\geq 7$ years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been $\geq 10$ years since Tdap
Hepatitis B	<b>3 doses (or 2 doses of Heplisav-B) for staff whose responsibilities include first aid</b> ; laboratory evidence of immunity is acceptable

\*A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant or designee.